





TRIPLE

ACTIVE ORAL

ACTIVE INGREDIENTS:

1 g/L Abamectin, 40 g/L Levamisole Hydrochloride and 22.65 g/L Oxfendazole. Also contains 2.1 g/L Copper, 0.6 g/L Zinc, 0.21 g/L Cobalt, 0.76 g/L lodine and 0.5 g/L Selenium.

EXCEEDS NEW REGULATORY STANDARDS

- TrivOX Sheep HiMin is effective against gastrointestinal roundworms and lungworm.
- Triple drenches have been shown to delay the onset of resistance compared to the use of single actives.
- TrivOX Sheep HiMin can be used all year round on stock of all ages.







- May be used as a quarantine drench as part of a full drench program.
- · Helps with resistance of all actives.
- Is effective against worms for sheep with single or dual anthelmintic resistance.
- May be used as a quarantine drench as part of a full drench program.

WITHHOLDING PERIODS

Milk 35 Days Meat 21 Days

PRODUCT FEATURES

DOSE RATE

1mL/5kg

FURTHER INFORMATION

Effective against the following gastrointestinal roundworms at both adult and immature stages in sheep:

- Teladorsagia (Ostertagia) circumcincta*
- · Haemonchus contortus*
- Trichostrongylus spp.
- · Cooperia spp.
- · Trichuris ovis
- · Chabertia ovina
- Oesophagostomum venulosum
- · Strongyloides papillosis
- Nematodirus spp. (*includes inhibited fourth stage larvae).

Also effective against:

• Dictyocaulus filaria (lungworms)

Registered pursuant to the ACVM Act 1997 No. A011598

DOSE RATES

The dose rate for sheep is 1mL TrivOX Sheep HiMin per 5kg liveweight or according to the following:

Liveweight (kg)	Dose (mL)	Liveweight (kg)	Dose (mL)
15	3.0	36 - 40	8.0
16 - 20	4.0	41 - 45	9.0
21 - 25	5.0	46 - 50	10.0
26 - 30	6.0	51 - 55	11.0
31 - 35	7.0	56 - 60	12.0

For animals heavier than 60kgs add 1mL per 5kg liveweight

DONAGHYS TRIVOX SHEEP

Code	Product	Unit	Qty per Unit	Barcode
APTSH0020	TRIVOX SHEEP - 20L	EACH	1	9400579557362

HEALTH AND SAFETY INFORMATION

Material safety data information is available at www.donaghys.co.nz



