

20
Litre

200
Litre

1000
Litre

WARNING: POISON
KEEP OUT OF REACH OF CHILDREN

DONAGHYS

Acetochlor 840

For the selective pre-emergence control of annual grasses and many broadleaf weeds in grain, silage maize and sweetcorn.

ACTIVE INGREDIENT: Contains: 840 g/L Acetochlor in the form of emulsifiable concentrate.



DONAGHYS
PERFORMANCE FIRST

20
Litre

200
Litre

1000
Litre

WARNING: POISON
KEEP OUT OF REACH OF CHILDREN

DONAGHYS

Acetochlor 840

For the selective pre-emergence control of annual grasses and many broadleaf weeds in grain, silage maize and sweetcorn.

ACTIVE INGREDIENT: Contains: 840 g/L Acetochlor in the form of emulsifiable concentrate.



DONAGHYS
PERFORMANCE FIRST

INSTRUCTIONS – Acetochlor 840

DIRECTIONS FOR USE - READ ENTIRE BOOKLET BEFORE USING

REGULATORY STATEMENTS: It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WHP: Not required when used as directed.

Weeds controlled: commonly occurring annual grass weeds including; summer grass, barnyard grass, bristle grass, green bristle grass, seedling Johnson grass, smooth witch grass, witch grass. Broadleaf weeds include; amaranthus spp, black nightshade, chickweed, redroot, Scotch thistle, seedling dock, Shepherd's purse, stinking mayweed, twin cress. The following weeds are only moderately susceptible; cornbind, fat hen, field pansy, fumitory, spurrey, wild radish, willow weed, wireweed.

Grain Maize and silage Maize including Sweetcorn

Apply 2.5-3.0L in at least 200L of water per hectare to a freshly prepared seedbed immediately after planting and before crop emergence. Use higher rate in clay soils and those with higher organic matter. If desired, Atrazine may be added to the tank mix to improve the spectrum of activity. Alternatively Atrazine or Dicamba may be applied as directed as a follow up post emergence treatment.

PEAT SOILS: Cultivate soil before establishing pasture if Donaghys Acetochlor 840 has been applied to the previous crop.

SOIL CONDITIONS/ RAINFALL: Best results will be obtained when application is made to a freshly prepared, fine, moist soil, free of trash, with at least 10mm of rain within 1 week of application. Under drier soil conditions, 30mm of rain within 2-3 weeks is necessary. Application by pre-plant incorporation may be beneficial under very dry conditions.

MIXING: Pour the required amount into the partly filled spray tank and add the remainder of the water while agitating.

COMPATIBILITY: Compatible with Atrazine.

CROP ROTATION: Under normal use, soil residues should not carry over to successive crops. In a replant situation when the previous Donaghys Acetochlor 840 treated crop may have failed for whatever reason, contact your Donaghys representative or merchant for advice before replanting.

RE-ENTRY PERIOD: When fully dry.

IMPORTANT NOTICE - CONDITIONS OF SALE

ACCEPTANCE AND USE OF THIS PRODUCT WILL BE DEEMED TO BE ACCEPTANCE OF THESE CONDITIONS OF SALE.

Results from the use of this product may be affected by factors beyond Donaghys control. These factors include but are not limited to mixing, use, time of application, weather, crop, crop lifecycle and resistance to the active ingredient, even though the product is reasonably fit for its stated purpose and label directions have been followed. Donaghys will replace any defective product free of charge, but to the extent permitted by law all other warranties, representations, conditions or obligations whether imposed or implied by law or otherwise, and the manufacturer's and supplier's liability for any indirect special or consequential losses or damages of any kind arising out of the supply and/or use of this product, including where it arises out of negligence, are expressly excluded. **IN ANY EVENT, TO THE EXTENT PERMITTED BY LAW, THE MANUFACTURER'S AND SUPPLIER'S LIABILITY ARISING OUT OF THE SUPPLY AND OR USE OF THIS PRODUCT IS LIMITED TO THE AMOUNT PAID FOR THE SPECIFIC PRODUCT.**

Proper Shipping Name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(contains Acetochlor 84%, Dichlormid 10-30%).

UN number: 3082. DG Class: 9. Packaging Group: III

Registered pursuant to the ACVM Act 1997, No P008670.

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, Approval No. HSR000404

See www.epa.govt.nz for approval controls.

ZPLAB534 JUNE25 PN-037959-1 VER3

DONAGHY'S
PERFORMANCE FIRST

REGISTERED TO AND MANUFACTURED BY:
DONAGHY'S LTD,
PO BOX 20 449, CHRISTCHURCH.
FREEPHONE: 0800 942 006
WWW.DONAGHY'S.COM



Acetochlor 840

WARNING: Read label before use. The substance is harmful if swallowed, inhaled or absorbed through the skin. May cause an allergic reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

PERSONAL PROTECTION: Avoid contact with skin and eyes, and inhalation of spray mist. When applying or mixing, wear eye protection, water proof gloves, chemical resistant boots made of material such as rubber, nitrile, polyvinyl chloride and cotton overalls buttoned, to the neck and wrist. Do not eat, drink or smoke while using. Wash hands and exposed skin after use.

STORAGE: Store in original container tightly closed and away from foodstuffs in a cool, dry, secure area, avoiding temperatures below 2°C and above 35°C. Avoid contamination of seeds, fertilisers and other pesticides. Storage must be generally in accordance with the New Zealand Standard for the Management of Agrichemicals NZS8409. Stores containing 100L or more of Donaghys Acetochlor 840 required bunding and are subject to signage. See the New Zealand Standard for the Management of Agrichemicals NZS 8409 and relevant Hazardous Substances Emergency Management and Identification Regulation for further information. When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of this product if it is older than this.

SPILLS: Do not touch or walk through spilled materials. Wear the protective equipment recommended above. Stop leak when safe to do so. Dam area and prevent entry into waterways and drains. Absorb with material such as sand, soil or sawdust. Collect spilled product and place in properly labelled, sealable container for disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

PRODUCT DISPOSAL: Dispose of this product only by using according to the label at an approved landfill or via Agrecovery (visit www.agrecovery.co.nz or call 0800 AGRECOVERY 0800 247 326 for information about the type and quality of chemical acceptable for disposal.)

CONTAINER DISPOSAL: Triple rinse empty container and add rinsate to spray the tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues (liquid or dry) and have an intact legible label may be taken to an Agrecovery collection site. Otherwise crush or puncture and bury in a suitably approved landfill. Do not burn empty containers. Discard rinse water on land already sprayed or on wasteland away from desirable plants and water sources.

ENVIRONMENT: Toxic to aquatic life with long lasting effects. Hazardous to soil organisms. Hazardous to terrestrial vertebrates. DO NOT contaminate an aquatic environment with chemical or empty container. DO NOT spray over or allow drift over, an aquatic environment. Avoid release to the environment.

SAFETY DATA SHEET: A safety data sheet is available from Donaghys Ltd. Visit www.donaghys.com, or call customer service Toll Free on 0800 942 006

FIRST AID: If swallowed do not induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, flush out immediately with running water for at least 15 minutes. Take to the hospital without delay. If spilt on skin or hair remove contaminated clothing and flush skin and hair with running water. Do not scrub the skin.

Registered pursuant to the ACVM Act 1997, No P008670
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, Approval No. HSR000404.

See www.epa.govt.nz for approval conditions.

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (contains Acetochlor 84% and Dichlormid 10-30%).

DONAGHYS
PERFORMANCE FIRST

REGISTERED TO AND MANUFACTURED BY:
DONAGHYS LTD.
PO BOX 20 449, CHRISTCHURCH, NEW ZEALAND
FREEPHONE: 0800 942 006
WWW.DONAGHYS.COM