DANGER. FOR ANIMALTREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

DONAGHYS DairyMin® 4 Chelate

Essential trace elements for production and performance

For dairy cows from pre-calving through lactation.

Liquid mineral supplement with Zinc, Cobalt, lodine, Selenium.



DairyMin® 4 Chelate. Be sure your cows get full use of their minerals.

DairyMin 4® Chelate liquid mineral supplement avoids mineral loss before absorption by the cow.

INDICATIONS

This product is designed specifically for dairy cows, formulated to include the following mineral levels:

	mg per 2.5 mL dose	mg per m		mg per 2.5 mL dose	mg per mL
Zinc	100	40	Cobalt	2.0	0.80
lodine	5.0	2.0	Selenium	5.0	2.0

Contains Zinc Glycinate <15%, **Sodium Selenate** <0.5%.

DOSE RATES: Administer DairyMin® 4 Chelate at 2.5 mL per cow per day, from approximately one month prior to calving through to the end of mating. Depending on individual herd nutritional requirements, DairyMin® 4 Chelate may be continued post-mating through lactation.

SHAKE or STIR well before administering through a calibrated dispensing system.

FOR DAIRY COW USE ONLY. DO NOT ALLOW SHEEP OR GOATS TO INGEST THIS PRODUCT.

DO NOT EXCEED THE STATED DOSE AND FREQUENCY EXCEPT UNDER ADVICE FROM VETERINARIAN OR NUTRITIONAL ADVISOR.

HAZARD STATEMENTS

Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Hazardous to the soil environment. Hazardous to terrestrial vertebrates.

DISPOSAL

Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional, and national environmental regulations.

CAUTION

DairyMin® 4 Chelate is a high mineral content product.

The following cautions are advised:

- Do not give this product to cows with liver damage.
- Do not use where the domestic house water supply is directly connected to the farm water trough system.
- Do not use at the same time as other supplements or fertilisers which contain Selenium, without the advice of a veterinarian.

HANDLING

Obtain special instructions before use. Do not handle until all safety instructions

have been read and understood.

Do not eat, drink or smoke when using this product. Do not breathe vapours or spray. Wear protective overalls, gloves and eye/face protection. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated clothing should not be allowed out of the workplace. Avoid release to the environment. Collect Spillage.

STORAGE

Store out of direct sunlight. Keep container tightly closed. Store locked up.

FIRST AID: If medical advice is needed Have product container or label at hand. POISON CENTRE contact 0800 POISON (0800 764 766).

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

DANGER: NOT FOR HUMAN CONSUMPTION KEEP OUT OF REACH OF CHILDREN FOR ANIMAL TREATMENT ONLY

National Poisons Centre 24 Hour Phone: 0800 POISON (0800 764 766)

ZPLAB884 JUN25 PN-037959-1 VER3



MANUFACTURED BY DONAGHYS LTD. 16 SHEFFIELD CRESCENT, CHRISTCHURCH, NEW ZEALAND. FREEPHONE: 0800 942 006 WWW.DONAGHYS.COM







