

DANGER. FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

DONAGHYS DairyMin[®] 5 Chelate

Essential trace elements for production
and performance

For dairy cows from
pre-calving through lactation.



Liquid mineral supplement with Zinc, Copper, Cobalt,
Iodine, **Selenium**.

DONAGHYS
PERFORMANCE FIRST



DairyMin® 5 Chelate. Be sure your cows get full use of their minerals.

DairyMin® 5 Chelate liquid mineral supplement avoids mineral loss before absorption by the cow.

INDICATIONS

This product is designed specifically for dairy cows, formulated to include the following mineral levels:

	mg per 4 mL dose	mg per mL		mg per 4 mL dose	mg per mL
Zinc	100	25	Cobalt	2.0	0.50
Copper	200	50	Selenium	5.0	1.25
Iodine	10	2.5			

DOSE RATES

Administer DairyMin® 5 Chelate at 4 mL per cow per day, from approximately one month prior to calving through to the end of mating. Depending on individual herd nutritional requirements, DairyMin® 5 Chelate may be continued post-mating through lactation.

SHAKE or STIR well before administering through a calibrated dispensing system.

FOR DAIRY COW USE ONLY. DO NOT ALLOW SHEEP OR GOATS TO INGEST THIS PRODUCT.

DO NOT EXCEED THE STATED DOSE AND FREQUENCY EXCEPT UNDER ADVICE FROM VETERINARIAN OR NUTRITIONAL ADVISOR.

CAUTION

DairyMin® 5 Chelate is a high mineral content product. The following cautions are advised:

- Do not give this product to cows with liver damage.
- Do not use where the domestic house water supply is directly connected to the farm water trough system.
- Do not use at the same time as other supplements or fertilisers which contain Copper or **Selenium**, without the advice of a veterinarian.

HANDLING

Read label before use. Keep out of reach of children. Do not breathe mist/vapour/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Collect spillage.

FIRST AID

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

IF exposed or unwell: Call a POISON CENTRE or doctor/physician.

**National Poisons Centre 24 Hour Phone:
0800 POISON (0800 764 766)**

STORAGE

Store locked up with container tightly closed. Store out of direct sunlight.

DISPOSAL

Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations.

**DANGER:
NOT FOR HUMAN CONSUMPTION
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

National Poisons Centre 24 Hour Phone:
0800 POISON (0800 764 766)

HAZARD STATEMENTS

Harmful if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause damage to organs through prolonged or repeated exposure. Causes serious eye damage. Very toxic to aquatic life with long lasting effects. Hazardous to the soil environment. Hazardous to terrestrial vertebrates.

ZPLAB788 APR25 PN-036875-1 VER4

MANUFACTURED BY DONAGHYS LTD.
16 SHEFFIELD CRESCENT, CHRISTCHURCH,
NEW ZEALAND.
FREEPHONE: 0800 942 006
WWW.DONAGHYS.COM

