

DANGER. FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

DONAGHYS DairyMin[®] 3

Essential trace elements for production
and performance.

For dairy cattle.



Liquid mineral supplement containing
Copper, Cobalt and Selenium.

Nil withholding period

DONAGHYS
PERFORMANCE FIRST



DairyMin® 3

DairyMin® 3 liquid mineral supplement strategically boosts Copper, Cobalt and Selenium levels – the three most commonly deficient trace elements.

READ LABEL BEFORE USE

DairyMin® 3 is a liquid mineral supplement, formulated to give dairy cows a strategic boost in levels of trace elements Copper, Cobalt & Selenium when conditions dictate. For supplemental use during lactation and pregnancy, pre-mating and periods of low quality feed or other nutritional stress. Use this product only where supplemental nutrients are required. Do not use this product on calves.

INDICATIONS

This product is designed specifically for dairy cows and is formulated to include the following mineral levels:

Element	mg per 4ml dose	mg per ml	Element	mg per 4ml dose	mg per ml
Copper	200	50	Cobalt	6.0	1.5
			Selenium	5.0	1.25

DOSE RATES

DO NOT EXCEED THE STATED DOSE RATE AND FREQUENCY

Shake or agitate well before use. Apply by drenching or through water system. If drenching, use correct drenching technique to prevent product entering the lungs or inhalation effects. Ensure drench gun nozzle is not damaged and will not cause throat lesions. Check compatibility with other products before mixing. This product should be given no more than 1x the stated dose daily.

- **Do not exceed 1mL/125kg Liveweight**
- **Not for use in stock under 1 year of age**

Do not use this product at the same time as other products with trace elements without the advice of a Veterinarian or Nutritional Advisor. Minerals should not be overdosed – do not exceed the stated dose and frequency.

FIRST AID

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTRE or doctor/physician if you feel unwell.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician.

IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician

**National Poisons Centre 24 Hours
Phone: 0800 POISON (0800 764 766)**

PREVENTION STATEMENTS: Keep out of reach of children. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe spray. Wear protective gloves. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Collect spillage.

STORAGE: Store locked up with container tightly closed. Store out of direct sunlight.

DISPOSAL: Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations.

DANGER:

**NOT FOR HUMAN CONSUMPTION
KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL TREATMENT ONLY**

National Poisons Centre 24 Hour Phone:
0800 POISON (0800 764 766)

HAZARDOUS SUBSTANCES CLASSIFICATION

- 6.1D Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.
6.3A Causes skin irritation.
6.4A Causes serious eye irritation.
6.5A May cause allergy or asthma symptoms or breathing difficulties if inhaled.
6.5B May cause an allergic skin reaction.
6.7B Suspected of causing cancer.
6.8B Suspected of damaging fertility or the unborn child.
6.9B May cause damage to organs through prolonged or repeated exposure.
9.1A Very toxic to aquatic life with long lasting effects.
9.2C Harmful to the soil environment.
9.3C Harmful to terrestrial vertebrates.

(Contains Cobalt sulphate, heptahydrate 0.71% and Copper sulphate Pentahydrate 20%)

Approved pursuant to HSNO Act 1996, Approval No. HSR002521

See <http://www.epa.govt.nz> for approval controls.

ZPAAPM798 FEB20 PN-021642-1 VER1

DONAGHYS
PERFORMANCE FIRST

MANUFACTURED AND REGISTERED TO DONAGHYS LIMITED
16 SHEFFIELD CRESCENT, CHRISTCHURCH, NEW ZEALAND
FREEPHONE: 0800 942 006, WWW.DONAGHYS.COM
SEE WWW.FOODSAFETY.GOV.TZ FOR REGISTRATION CONDITIONS

