DONAGHYS

G2

Cost effective low foam acid detergent and sanitiser for use on dairy rubber, plastic and stainless steel surfaces

Contains: 170 g/L Phosphoric Acid, 114 g/L Sulphuric Acid and a non-QAC sanitiser.

MPI approved for use in farm dairies.





DONAGHYS G2

MPI approved for use in farm dairies

Cost effective low foam acid detergent and non-QAC sanitiser for use on dairy rubber, plastic and stainless steel surfaces

DANGER

READ LABEL BEFORE USE HANDLING PRECAUTIONS

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves/protective clothing/eve protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe or spray vapour. Do not mix with Alkali or Chlorinated products, as this may result in the creation of toxic gases.

DIRECTIONS FOR USE

Acid wash only. Please refer to Protosoly for instructions on an alkali wash (minimum twice weekly).

Plant

Compliance requires all milk surfaces to be rinsed with a minimum of 5 litres of compliant water per set of cups before milking. Hot water dump temperatures must be greater than 55°C.

- 1. Dilute G2 at the rate of 1.5mL per litre of hot water using the wash volumes:
 - Jetter/bucket wash 10 litres of wash solution per set of cups.
- Reverse flow 20 litres of wash solution per set of cups.
- 2. Drain plant.

Bulk Milk Tank

Compliance requires all milk contact surfaces to be rinsed with a minimum of 120 litres of compliant water before milking. Hot water dump temperatures must be greater than 55°C.

- 1. Dilute **G2** at the rate of 1.5mL per litre of hot water (75°C -85°C) based on the recommended wash volume (refer to table).
- 2. Recycle for 3 minutes (above 65°C).
- 3 Drain Bulk Milk Tank

Volume of Bulk	Hot Water
Milk Tank	Wash Volume
(Litres)	(Litres)
3,400	120
4,500	120
5,700	120
6,800	140
9,100	180
12,000	240
14,000	280
18,000	360
22,000	440
30,000	600

HAZARD STATEMENTS: Harmful if swallowed. Causes damage to organs through prolonged or repeated exposure. Causes severe skin burns and eve damage. Causes serious eve damage. May cause long lasting harmful effects to aquatic life. Hazardous to

STORAGE: Keep only in original container. tightly closed, away from foodstuffs. If required, store in corrosive resistant container with resistant inner liner. Keep out of direct sunlight. Store locked up in a cool place.

terrestrial vertebrates.

DISPOSAL: Refer to waste Management Authority. Dispose of material through a licensed waste contractor. Dispose of material and its container to hazardous or special waste collection point. Avoid release to the environment. Absorb spillage to prevent material damage.

FIRST AID

Get medical attention if you feel unwell. If medical advice is needed, have product container or label at hand.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Immediately call a POISON CENTRE or doctor/physician.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

National Poisons Centre 24 hour phone: 0800 POISON (0800 764 766)

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(CONTAINS PHOSPHORIC ACID AND SULPHURIC ACID)

UN NO: 3264 PACKING GROUP: II

HAZCHEM: 2X CLASS: 8

ZPLAB854 OCT25 PN-039234-1 VER4



MANUFACTURED AND REGISTERED TO DONAGHYS LTD. 16 SHEFFIELD CRESCENT. CHRISTCHURCH, NEW ZEALAND. PERFORMANCE FIRST FREEPHONE: 0800 942 006, WWW.DONAGHYS.COM







