

WARNING. FOR ANIMAL TREATMENT ONLY. KEEP OUT OF REACH OF CHILDREN.

# DONAGHYS Selenium 5

Dairy cattle and sheep mineral supplement



Selenium is a vital component of antioxidants that assist in livestock performance. Overcoming low Selenium levels can assist with:

- General good thrift
- Improved milk production
- Improved disease resistance
- Improved fertility

5 mg/mL

**DONAGHYS**  
PERFORMANCE FIRST



# Donaghys Selenium 5

Help your cows and sheep achieve a higher level of performance with Selenium 5, the dairy cow and sheep liquid mineral supplement!

## READ LABEL BEFORE USE

Keep out of reach of children. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe mist/vapours/spray. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

## DIRECTIONS

Only for use when there is a confirmed Selenium deficiency. Ready to use liquid no dilution required.

## DONAGHYS SELENIUM 5 DOSE RATE

**DO NOT EXCEED THE STATED DOSE RATE AND FREQUENCY**

**1 mL will provide 5 mg of Selenium.**

### Through water supply

Can be added to drinking water via dispenser. Administer daily to sheep and cattle at rates not exceeding the following:  
0.02 mL per 10 kg of liveweight per day.  
0.1 mL per 50 kg of liveweight per day.  
0.2 mL per 100 kg liveweight per day.  
1 mL per 500 kg of liveweight per day.

### Oral drenching

Administer orally to sheep and cattle at rates not exceeding the following:  
0.2 mL per 10 kg of liveweight once every 3 weeks.  
1 mL per 50 kg of liveweight once every 3 weeks.  
2 mL per 100 kg of liveweight once every 3 weeks.  
10 mL per 500 kg of liveweight once every 3 weeks.

Do not administer more than once every 3 week period. Do not repeat drench more than 7 times a year.

### Supplementary feed

Apply to supplementary feed daily at rates not exceeding the following:  
0.02 mL per 10 kg of liveweight per day.  
0.1 mL per 50 kg of liveweight per day.  
0.2 mL per 100 kg of liveweight per day.  
1 mL per 500 kg of liveweight per day.

### CAUTION

Do not use at the same time as any other selenised fertiliser, prill or product and do not exceed the stated dose or frequency without consulting a veterinarian. Do not repeat 3 weekly drenching more than 7 times per year. Cows pass on Selenium efficiently to the foetus. Pre-calving and post-calving are key times to supplement to ensure good level in both mother and calf but Selenium is beneficial year round.

### STORAGE

Store locked up, in a cool place out of direct sunlight.

### FIRST AID

**IF SWALLOWED:** Rinse mouth. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**IF ON SKIN:** Wash with plenty of soap and water. Wash contaminated clothing before reuse. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

**IF INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

**IF exposed or concerned:**  
Get medical advice/attention.

**National Poisons Centre 24 Hour Phone:  
0800 POISON (0800 764 766)**

### DISPOSAL

Preferably dispose of product by use. Otherwise dispose of product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations

### HAZARD STATEMENTS

Harmful if swallowed, in contact with skin or if inhaled. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects. Hazardous to soil organisms. Hazardous to terrestrial vertebrates.

ZPLAB793 JUN125 PN-036140-1 VER3

**DONAGHYS**  
PERFORMANCE FIRST

MANUFACTURED AND SOLD BY:  
DONAGHYS LIMITED  
16 SHEFFIELD CRESCENT  
PO BOX 20 449, HAREWOOD, CHRISTCHURCH  
FREEPHONE: 0800 942 006 WWW.DONAGHYS.COM

