



SDS Identifier:			
PROABAMEC POUR-ON	Date: 29.09.2020	Version No:1.0	Page 1 of 5

## Section 1 – Identification of the substance/preparation and the company

Product Name: PROABAMEC POUR-ON

Company: Donaghys Ltd

Address: 16 Sheffield Crescent

PO Box 20 449

Christchurch

**Telephone Number:** 0800 942 006

**Recommended Use:** For the treatment and control of internal parasites and

external parasites in cattle

## Section 2 - Hazard Identification

6.1D Harmful if swallowed **Hazard Classes:** Harmful in contact with skin Harmful if inhaled 6.3B Causes mild skin irritation Causes eye irritation 6.4A 6.8B Suspected of damaging fertility or the unborn child May cause harm to breast-fed children. 6.8C 6.9B May possibly affect kidneys if swallowed or liver if inhaled. 9.1A Very toxic to aquatic life with long lasting effects. 9.2C Harmful to the soil environment. 9.3C Harmful to terrestrial vertebrates.

#### **GHS** label elements

Hazard pictograms



9.4A





Use personal protective equipment as required.

Very toxic to terrestrial invertebrates.

# Signal word WARNING

Prevention statements	P102 P103 P201 P202	Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	P260 P261 P263 P264 P270	Do not breathe dust/fume/gas/mist/vapours/spray* Avoid breathing fume/gas/mist/vapours/spray Avoid contact during pregnancy/while nursing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
	P271 P273 P280	Use only outdoors or in a well-ventilated area.  Avoid release to the environment.  Wear protective gloves/ protective clothing/ eye protection/face protection.

IN CASE OF EMERGENCY PHONE
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)

P281



If on skin:



SDS Identifier:			
PROABAMEC POUR-ON	Date: 29.09.2020	Version No:1.0	Page 2 of 5

### **Section 3 – Composition Information**

Chemical Entity CAS No. Content [%]

Abamectin 71751-41-2 1%
Diethylene glycol monobutyl ether 112-34-5 >80%

#### Section 4 - First Aid Measures

If Swallowed: Call a POISON CENTRE or doctor/physician if you feel

unwell. Rinse mouth.

If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do so, continue

rinsing.

If eye irritation persists: get medical advice/attention. Wash with plenty of soap and water. If skin irritation

occurs, medical advice/attention. Wash contaminated

clothing before re-use.

**If inhaled:** Remove to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTRE or

doctor / physician if you feel unwell.

Advice to Doctor: Treat symptomatically.

IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)

## Section 5 – Fire-fighting Measures

**Combustion Products:** Fire decomposition products may be toxic if inhaled

Flammability Limits: Not applicable

**Protective Equipment:** Breathing apparatus, face shield or protective goggles,

and neoprene rubber gloves and boots

**Extinguishing Media:** Sprayed water jet, foam, dry chemical powder, CO<sub>2</sub> and

sand

**Special Fire Fighting Methods:** Do not allow water to enter drains

Flash point: 110°C

#### Section 6 - Accidental Release Measures

Spills and Disposal: Evacuate personnel to safe areas. Avoid breathing dust.

Use appropriate tools to put spilt material in a suitable chemical waste container. Clean contaminated surface thoroughly. Absorb spill with inert material (e.g. vermiculite,

dry sand or earth).

Protective Equipment: Wear protective gloves and face/eye protection and

protective clothing.

IN CASE OF EMERGENCY PHONE
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Identifier:			
PROABAMEC POUR-ON	Date: 29.09.2020	Version No:1.0	Page 3 of 5

**Environmental Precautions:** Prevent washings from entering waterways. Do NOT flush

into surface water or sanitary sewer system

#### Section 7- Handling and Storage

**Technical precautions:** Wear respiratory protection. Avoid dust formation. Avoid

breathing vapours, mist or gas. Ensure adequate

ventilation.

Safe handling advice: Wear personal protective equipment. Use only in well

ventilated areas. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do NOT

ingest.

**Storage conditions:** Keep container tightly closed in dry and well-ventilated

areas. Store below 25°C and away from direct sunlight.

Incompatible Materials: No information available

# **Section 8 – Exposure Controls/Personal Protection**

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

**Exposure Limits:** None assigned.

Protective Equipment: Observe good work place practices and avoid contact

with skin and eyes. Wear overalls, safety glasses and neoprene gloves when handling. Wear eye / face protection. In case of inadequate ventilation wear

respiratory protection.

**Hygiene Precautions:** Do not eat, drink or smoke when using this product.

**Engineering Controls:** General exhaust is adequate under normal operating

conditions.

If risk of overexposure exists, wear SAA approved

respirator.

Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed

storage areas.

## Section 9 - Physical and Chemical Properties

Appearance: Clear liquid

Odour: Specific odour

Specific Gravity: 0.85-1.0
pH: 5-8
Flash point: 110°C
Vapour Pressure: N/A

IN CASE OF EMERGENCY PHONE
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Identifier:			
PROABAMEC POUR-ON	Date: 29.09.2020	Version No:1.0	Page 4 of 5

# Section 10 - Stability and Reactivity

Stability: Stable under normal ambient and anticipated storage

and handling conditions of temperature and pressure.

Conditions to Avoid: N/A

Materials to Avoid: Strong oxidizing agents.

**Hazardous Decomposition** 

**Products:** Carbon oxides

#### Section 11 - Toxicological Information

Acute effects: Abamectin

LD50 (Oral-rats) =10mg/kg LD50 (Dermal-rats) =330mg/kg

Chronic and long-term

### **Reproductive/ Development Effects:**

Rats given 0.40 mg/k/day of abamectin had increased stillbirths, decreased pup viability, decreased lactation and decreased pup weight. These data suggest that abamectin may have the potential to cause reproductive effects at high anguals doese. (Source: EXTOXNET)

enough doses. (Source: EXTOXNET)

Abamectin produced cleft palate in the offspring of treated mice and rabbits, but only at doses that were also toxic to the mothers. There were no birth defects in the offspring of rats given up to 1mg/kg/day. Abamectin is unlikely cause teratogenic effects except at doses toxic to the mother.

(Source: EXTOXNET)

#### **Target Organ Effects:**

In a 1-year study with dogs given oral doses of abamectin, dogs at the 0.5 and 1 mg/kg/day doses exhibited pupil dilation, weight loss, lethargy, tremors, and recumbency. Similar results were seen in a 2-year study with rats fed 0.75, 1.5, or 2 mg/kg/day. Rats at all the dosage levels exhibited body weight gains significantly higher than the controls. A few individuals in the high does group exhibited tremors (Source: EXTOXNET)

#### Section 12 - Ecological Information

**Ecotoxicity effects:** Abamectin is highly toxic to fish and extremely toxic to

aquatic invertebrates.

LC50 (96-hour) is 0.003mg/l in rainbow trout, 0.0096 mg/L in bluegill sunfish, 0.015 mg/L in sheepshead minnows, 0.024 mg/L in channel catfish, and 0.042 mg/L in carp. The 48-hour

LC50 in Daphnia magna is 0.003 mg/L

IN CASE OF EMERGENCY PHONE National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Identifier:			
PROABAMEC POUR-ON	Date: 29.09.2020	Version No:1.0	Page 5 of 5

### Section 13 - Disposal Considerations

Product Disposal: Preferably dispose of product by use. Otherwise dispose of

product, packaging and waste at an approved landfill or equivalent facility in accordance with local, regional and national environmental regulations. Donaghys is a member of Agrecovery Container Recycling programme. For details on how to correctly prepare your container and collection sites

please visit www.agrecovery.co.nz.

# Section 14 - Transport Information

Proper Shipping Environmentally Hazardous Substance, liquid, N.O.S.

Name: (Abamectin)

UN Number: 3082
DG Class: 9
Subsidiary Risk class: None
Packing Group: III
HAZCHEM Code: 3Z

## **Section 15 – Regulatory Information**

ERMA NZ Registration HSR100682

Code: See <a href="http://www.epa.govt.nz">http://www.epa.govt.nz</a> for approval conditions

NZFSA Approval Number: A010875

See www.foodsafety.govt.nz for registration conditions

## **Section 16 – Other Information**

The information in this MSDS is provided in good faith, but no warranty, expressed or implied is made. Contact Donaghys Ltd for more information.

**EMERGENCY CONTACT No.: 0800 764 766 (National Poisons Information Centre)**