



SDS Strikeout Liquid Date: 18.10.2023 Version No:2.0 Page 1 of 4

Section 1 - Identification of the substance/preparation and the company

Product Name: STRIKEOUT LIQUID Company: Donaghys Ltd

Address: 16 Sheffield Crescent

PO Box 20 449 Christchurch

Telephone Number: 0800 942 006
Manufacturer Product Code: ASLXXXX

Recommended Use: For the preventative control of blowfly strike on sheep.

Section 2 - Hazard Identification

Hazard Classes:



Specific target organ toxicity-repeated exposure Category 2

Hazardous to soil organisms

Hazardous to terrestrial invertebrates

EPA NZ Approval Code: HSR002223 **SIGNAL WORD** WARNING

Section 3 - Composition Information

Chemical EntityCAS No.ContentCyromazine66215-27-8500 g/LOther excipient ingredientsNot Disclosed<500 g/L</td>

Note: Other ingredients in this formula are being held as a trade secret. For more ingredient information in the event of a medical emergency, contact the telephone number listed in Section 1.

Section 4 – First Aid Measures

If Swallowed: Call a POISON CENTRE or contact a doctor/physician if you

feel unwell. Rinse Mouth.

If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue

rinsing. If eye irritation persists: Get medical

advice/attention.

If on skin: Wash with plenty of soap and water. If skin irritation or rash

occurs: Get medical advice/attention. Wash contaminated

clothing before use.

If inhaled: Remove to fresh air and keep at rest in a position

comfortable for breathing.

Advice to Doctor: Treat symptomatically.

POISON CENTRE CONTACT: 0800 764 766 (National Poisons Information Centre)

IN CASE OF EMERGENCY PHONE
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Strikeout Liquid Date: 18.10.2023 Version No:2.0 Page 2 of 4

Section 5 - Fire-fighting Measures

Firefighting Instructions: Wear approved positive pressure, self-contained breathing

apparatus and full protective turn out gear. Evacuate area

and fight fire from a safe distance.

Extinguishing Media: Water spray, carbon dioxide, dry chemical or foam.

Flash Point: Nonflammable

Hazardous Combustion Thermal decomposition may generate irritating or toxic

Products: vapors.

Section 6 - Accidental Release Measures

Spills and Disposal: MAJOR SPILLS

Slippery when spilt. Minor hazard.

1: Clear area of personnel.

2: Alert Fire Brigade and tell them location and nature of hazard.

3: Control personal contact by using protective equipment as required.

4: Prevent spillage from entering drains or waterways.

5: Contain spill with sand, earth or vermiculite.

6: Collect recoverable product into labelled containers for recycling.

7: Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.

8: Wash area and absorb further with inert material. Prevent

runoff into drains or waterways.

9: If contamination of drains or waterways occurs, advise emergency services.

Minor Spills:

Slippery when spilt.

1: Clean up all spills immediately.

2: Avoid breathing vapours and contact with skin and eyes.

3: Control personal contact by using protective equipment.

4: Contain and absorb spill with sand, earth, inert material or

vermiculite.

5: Place in a suitable labelled container for waste disposal.

Protective Equipment: Wear neoprene gloves and boots, overalls and face/eye

protection

Environmental Precautions: Avoid entry into waterways or streams. Prevent washings

from entering waterways.

Section 7- Handling and Storage

General Handling: Use only in a well-ventilated area. Avoid contact with eyes.

Avoid contact with skin and clothing. Wash thoroughly after handling. When handling wear protective clothing and

waterproof gloves.

IN CASE OF EMERGENCY PHONE
National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Strikeout Liquid Date: 18.10.2023 Version No:2.0 Page 3 of 4

Storage Conditions: Store in original container, tightly closed. Do not store for

prolonged periods in sunlight.

Temperature range for

storage:

Below 30°C (room temperature)

Section 8 - Exposure Controls/Personal Protection

These precautions are suggested for conditions where the potential for exposure to the product exists. Emergency conditions may require additional precautions.

Ventilation: Engineering controls should be used as the primary means

to control exposure. Good general ventilation should be sufficient to control airborne levels. Local and general ventilation should be used as necessary, when handling this

material in bulk.

Respiratory Protection: Respiratory protection is recommended as a precaution to

minimize exposure when handling this material in bulk.

Eye Protection: Safety glasses or goggles.

Skin Protection: Use protective clothing (uniform, lab coats, disposable

coveralls, etc.) in both production and laboratory areas.

Hand Protection: Rubber gloves

Section 9 – Physical and Chemical Properties

Appearance: Brown suspension liquid

Odour: Specific Gravity: Specific odour 1.14 – 1.167

pH: 7 - 9

Section 10 - Stability and Reactivity

Stability: Stable at room temperature in closed containers under

normal storage conditions.

Conditions to Avoid: Light, exposure to air. excess heat, strong oxidants

Incompatibility Materials: Not known

Section 11 - Toxicological Information

Cyromazine:

Acute toxicity (oral): LD50 Rabbit, 1467 mg/kg

Eye: No known effect
Skin: No known effect
Inhalation: No known effect
Ingestion: Harmful if swallowed
Mutagenicity: No known effect
Carcinogenicity: No known effect
Reproductive, No known effect

Developmental

& effects via lactation:

IN CASE OF EMERGENCY PHONE

National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)





SDS Strikeout Liquid Date: 18.10.2023 Version No:2.0 Page 4 of 4

Target organ toxicity (oral): Affects the blood and the hematopoietic system.

Cyromazine was administered to 56 beagle dogs (7/sex/group) at 0, 30, 300 and 3000 ppm for 6 months. Pronounced effects on the hematocrit and hemoglobin levels were noted at 300 and 3000 ppm. The systemic NOEL was

established at 30 ppm (0.75 mg/kg/day)

Section 12 - Ecological Information

Aquatic: No known effect

Soil: Harmful in the soil environment, Soil DT 50 > 30 days

Terrestrial Vertebrates: Toxic to vertebrates, LD50 Rabbit, 1467 mg/kg

Terrestrial Invertebrates: Toxic to invertebrates

Mobility, Persistence &

Degradability:

Cyromazine has low to high mobility in soil

Section 13 - Disposal Considerations

Product Disposal: Harmful to the soil environment and terrestrial invertebrates.

Avoid release to the environment.

Preferably dispose of product by use. Triple rinse into the dip vat. Fouled or unwanted sump solution should be placed in a soil pit, away from dams, ponds and waterways. Otherwise dispose of product, packaging and waste at an approved

landfill or equivalent facility.

Container Disposal: Empty containers and product should not be burnt. Otherwise

dispose of product, packaging and waste at an approved

landfill or equivalent facility.

Section 14 - Transport Information

Proper Shipping Name: Environmentally Hazardous Substance, liquid, N.O.S.

(Cyromazine)

UN Number: 3082
DG Class: 9
Subsidiary Risk Class: None
Packing Group: III
HAZCHEM Code: N/A

Section 15 - Regulatory Information

ERMA NZ Registration HSR002223

Code: See http://www.epa.govt.nz for approval conditions

NZFSA Approval Number: A9951

See www.foodsafety.govt.nz for registration conditions

Section 16 - Other Information

The information in this MSDS is provided in good faith, but no warranty, expressed or implied is made. Contact Donaghys Ltd for more information.

EMERGENCY CONTACT No.: 0800 764 766 (National Poisons Information Centre)

IN CASE OF EMERGENCY PHONE National Poisons Centre 03-474-4700 or 0800 POISON (0800-764-766)