DONAGHYS No Covet®

Organosilicone Super-spreader with improved deposition.

To enhance the spreading and foliage deposition of Donaghys Mycotak[®] and Donaghys Myco-RF[®] fungicides. Contains a proprietary organosilicone/organic fluid blend.



DONAGHYS Mycowet®

Shake well before use

PRODUCT INFORMATION

Mycowet® is a non-ionic organosilicone surfactant blend for the application of Donaghys LIQUID Mycotak® and Donaghys Myco-RF® fungicides.

Mycowet® lowers the surface tension of spray solutions well below commonly used surfactants.

Mycowet® when used according to directions, will reduce off-target spray drift by up to 25%.

Mycowet® is especially suited to situations where coverage is critical and is particularly suited to low volume spraying and aerial applications where water coverage is a limiting factor.

DIRECTIONS FOR USE

Mycowet® will give best results in low volume spraying. High volumes with Mycowet® will result in excessive run-off of spray liquid and poor results.

- 1. Aerial and ground application when applying 50 litres per hectare of spray mixture:
- Mix 300ml of LIQUID Mycotak® and/or 236g Myco-RF® fungicide plus 100ml of Mycowet® per 50 litres of water (2ml per 1 litre of water).
- 2. Ground application: For 100 litres per hectare of spray mix:
 - Mix 300ml LIQUID Mycotak® and/or 236g Myco-RF® Fungicide with 100ml of Mycowet per 100 litres of water (1ml per 1 litre of water).

COMPATIBILITY:

Mycowet® is compatible with most commonly used fungicides, insecticides and plant growth regulators.

Do not use Mycowet® with herbicides as stomatal uptake will not occur.

Do not mix Mycowet® with spray oils as phytotoxicity may occur.

Do not mix Mycowet® with highly acidic or highly alkaline chemicals.

Do not add other surfactants to Mycowet®.

HEALTH WARNING: TOXIC - may cause sensitization from prolonged skin contact. Avoid contact with the skin. Repeated oral exposure at high doses may cause reproductive / development damage and damage to the thyroid, liver, kidneys and blood forming system.

HARMFUL: may cause eye irritation and be harmful if inhaled or swallowed. Avoid contact with the eyes and inhalation.

ENVIRONMENTAL WARNING: Harmful to aquatic organisms. Avoid contamination of any water supply with product or empty container.

PRODUCT DISPOSAL: Ensure unwanted product is used by another operator strictly in accordance with label directions. Do not allow product to enter waterways, drains or sewers. CONTAINER DISPOSAL: Ensure container is completely empty. Burn if permitted and circumstances, especially wind direction, allow, otherwise bury in landfill.

HANDLING PRECAUTIONS: When mixing or applying, wear protective clothing, gloves and goggles. Do not eat or drink while using. Wash hands and face before meals and after work. Wash protective clothing after work.

STORAGE: Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from feed, seeds and foodstuffs. Storage must be generally in accordance with NZS8409 Management of Agrichemicals. See the SDS for further information.

FIRST AID: If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800POISON (0800 764 766) or a doctor immediately. If skin, hair or eye contact occurs, remove contaminated clothing and flush skin, hair and / or eyes with running water for several minutes.

Notice to Buyer:

Exclusion of Liability: To the extent permitted by law, buyers and/or users of Mycowet® accept that neither the manufacturer or Donaghys Limited as distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of Mycowet®.

ZPAAPM988 OCT20 PN-022312-1

HSNO Class: 6.1E, 6.3B, 6.4A, 6.5B, 6.8A, 6.9A, 9.1D



Donaghys Ltd 16 Sheffield Crescent, Christchurch, New Zealand. Freephone 0800 942 006 www.donaghys.com





